
The following catalog has gaps in its page numbers, or doesn't have any numbers. We have chosen to leave the page numbering in the order that Acrobat assigns it.

Onen F./º

THE RESERVE

Parts Manual

6.0 & 7.5 kW
MDJE
GenSets




968-0224 9-88 (SPEC AB-AF) Replaces 7-81 (Spec AB-AD) Printed in U.S.A.

General Information

For parts or service, contact the dealer from whom you purchased this equipment or refer to your Nearest Authorized Onan Parts and Service Center.

To avoid errors or delay in filling your parts order, always give the MODEL, SPEC NO. and SERIAL NO. from the Onan nameplate.



For handy reference, insert "YOUR" nameplate information in the spaces above.

AWARNING

TAKE ALL NECESSARY PRECAUTIONS WHEN CHECKING OR CHANGING ENGINE OIL NOT TO INGEST, BREATHE THE FUMES OR CONTACT THE OIL. USED ENGINE OILS HAVE BEEN IDENTIFIED BY FEDERAL AND SOME STATE AGENCIIES AS CAUSING CANCER.

AWARNING

TAKE ALL NECESSARY PRECAUTIONS WHEN HANDLING ENINGE GASKETS. DO NOT INGEST, BREATHE, OR CONTACT DUST FROM GASKETS. USE ADEQUATE VENTILATION AND WEAR PROTECTIVE GLOVES, MASK AND CLOTHING. ASBESTOS HAS BEEN IDENTIFIED BY FEDERAL AND SOME STATE AGENCIES AS CAUSING CANCER.

INDEX

TITLE PA	4GE
INTRODUCTION	2
GENERATOR SET DATA TABLE	
	–
STANDARD PARTS SECTION	7
Base, Oil	′
Block, Cylinder	J
Camshaft	o
Control	.4-21 20
Cooling System	20
Crankshaft	
Flywheel	4
Gearcase	12
Generator (12 Volt)	
Governor	
Head, Cylinder	b
Injection System	10
Intake System, Air (12 Volt)	9
Oil System	
Piston and Rod	
Pump Parts, Water (Sea Water)	19
Solenoid, Stop	
Prior to Serial Number D810555279 During Spec AD	14
Begin Serial Number D810555280 During Spec AD	15
Regulator, Voltage - Spec AB Thru AE	28
Regulator, Voltage - Begin Spec AF	29
Service Kits and Miscellaneous	
Start Disconnect	
Starter (Mitsubishi)	
Starter (Prestolite)	
Starter Parts (Mitsubishi)	
Starter Parts (Prestolite)	16
OPTIONAL PARTS SECTION	
Exchanger, Heat	34
Exhaust System, Aqualift	33
Filter, Voltage Regulator	44
Generator (24 Volt)	42
Housing, Sound Shield	40
Intake System, Air (24 Volt)	
Keel Cooling	
Pump Parts, Water (Captive Water)	
Sets With Heat Exchanger	36
Sets With Keel Cooling	39
Switch Overspeed	. 44

INTRODUCTION

This catalog applies to the standard MDJE Generator Sets as listed in the Generator Set Data Table. Parts are arranged in groups of related items and each illustrated part is identified by a reference number corresponding to the same reference number in the parts list. Unless otherwise mentioned in the description, parts are interchangeable between models. Parts illustrations are typical. Using the model and specification number from your generator set nameplate, select parts that apply to your set. Right and left sides are determined by facing the engine end (front) of the set.

GENERATOR SET DATA TABLE


MODEL AND	ELECTRICAL DATA							
SPECIFICATION NUMBER	WATTS	VOLTS	HERTZ	WIRE	PHASE			
6.0MDJE-53CR/*	6,000	120/240	50	**	1 3			
6.0MDJE-518R/*	6,000	*	50	12				
7.5MDJE-3CR/*	7,500	120/240	60	**	1			
7.5MDJE-18R/*	7,500	*	60	12	3			

- * The diagonal line (/) in the model and specification number separates generator set characteristics from the specification number and letters. The specification number denotes customer requested options or deviations from a standard (1AB, 1AC, etc.) model. The specification letters advance (AB to AC, AC to AD, etc.) with major manufacturing changes.
- ** These generators have four load wires which are reconnectible for 120 volt, 2 wire service or 240 volt, 2 wire service or 120/240 volt, 3 wire service.
- ★ Broad range reconnectible sets, refer to connection diagram inside outlet box cover.

STANDARD PARTS SECTION

This section contains parts applicable to models listed in the generator set data table.


CYLINDER BLOCK



REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION	REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	110-2693	1	Block Assembly, Cylinder	17	123-0191	1	Gasket, Cap
2	101-0337	1	(Includes Tappets and Parts Marked *) *Plate, Rear Bearing	18	123-1203	1	Cap and Valve Assembly, Breather (Includes Screen and Retainer)
3	101-0386	1	*Gasket and Shim Kit, Rear	19	123-0952	4	*Tube, Breather
3	101-0300	1	Bearing Plate - Includes	20	516-0141	1	*Pin, Gearcase Locating
			Bearing Plate - Includes Bearing Plate Mounting	21	517-0096	2 1	*Plug, Welch - Cylinder Block
			Washers	21	317-0090	1	(1-9/16")
4	BEARING, MA	AIN-FRC	NT AND REAR	22	526-0245	6	*Washer, Bearing Plate (Special)
	101-0359	2	*Standard	23	505-0449	1	Nipple, Pipe - Water Drain
	101-0359-02	2 2	.002" Undersize	0.4	505-0027	4	(1/4" x 6")
	101-0359-10 101-0359-20	2	.010" Undersize .020" Undersize	24	505-0027	!	Coupling, Pipe - Water Drain (1/4")
_	101-0359-30	2	.030" Undersize	25	502-0153	1	Plug, Pipe - Hex Head (Brass)
5	516-0072	4	*Screw, Drive - Crankshaft Thrust				(1/4") Water Drain
_		_	Washers	26	509-0117	1	Seal, "O" Ring - Breather
6	104-0420	2	*Washer, Crankshaft Thrust	27	123-0951	?	Clamp, Breather
7	101-0363	1	*Bearing, Camshaft - Front	28	123-1201	1	Retainer, Breather Screen
8	101-0365	1	*Bearing, Camshaft - Rear	29	123-1202] -	Screen, Breather
9 10	120-0553 517-0053	1	*Tube, Crankcase Oil *Plug, Welch - Rear Camshaft	30	809-0035	7	Screw, Machine - Round Head Sheet Metal (#8 x 3/4")
			Opening (1-7/16")	31	123-1283	1	Filter, Breather Tube
11	517-0059	3	*Plug, Welch - Cylinder Block	32	SCREW, CAI	P - HEX H	EAD (5/16-18 x 3/4")
			(1-7/16")		800-0026	2	Oil Fill Tube Mounting
12	509-0086	1	Seal, Oil - Rear Housing Plate		800-0026	3	Fuel Filter Adapter Mounting
13	805-0019	6	*Bolt, Rear Bearing Plate	33	WASHER, LO	OCK - SPI	RING (5/16")
			(Special)		850-0045	2	Oil Fill Tube Mounting
14	123-1085	1	Tube, Oil Fill		850-0045	3	Fuel Filter Adapter Mounting
15	123-0667	1	Gasket, Oil Fill Tube	34	123-1153	1	Baffle Cup and Holder, Breather
16	123-1058	1	Cap and Indicator				


^{* -} Parts Included in 110-2693 Cylinder Block Assembly.

PISTON AND ROD




REF. NO.	PART NO.	QTY. USED	PART Description
1	RING SET, PI	STON	
	113-0137	2	Standard
	113-0137-05	2	.005" Oversize
	113-0137-10	2	.010" Oversize
	113-0137-20	2	.020" Oversize
	113-0137-30	2	.030" Oversize
	113-0137-40	2	.040" Oversize
2	PISTON AND	PIN (Inc	ludes Pin Retaining Rings)
	112-0176	2	Standard
	112-0176-05	2	.005" Oversize
	112-0176-10	2	.010" Oversize
	112-0176-20	2	.020" Oversize
	112-0176-30	2	.030" Oversize
	112-0176-40	2 2	.040" Oversize
3	112-0117	2	Pin, Piston
4	112-0085	4	Ring, Retaining
5	114-0168	2	Rod Assembly, Connecting
6			NECTING ROD
	114-0164	4	Standard
	114-0164-02	4	.002" Undersize
	114-0164-10	4	.010" Undersize
	114-0164-20	4	.020" Undersize
	114-0164-30	4	.030" Undersize
7	114-0170	4	Bushing, Piston Pin Connecting Rod
8	805-0012	4	Bolt, Place (Special)

CRANKSHAFT AND FLYWHEEL



REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	104-1285	. 1	Crankshaft Kit (Includes all Keys)
2	104-0418	1	Gear, Crankshaft
3	104-0416	1	Washer, Retainer
4	518-0188	1	Ring, Lock
5	104-0448	1	Flywheel Assembly (Includes Ring Gear)
6	104-0423	1	Gear, Ring
7	800-0500	1	Screw, Flywheel Mounting (Special)
8	104-0550	1	Pulley, Flywheel
9	104-0510	1	Guard, Flywheel
10	515-0001	1	Key, Gear to Crankshaft
11	515-0153	. 1	Key, Flywheel to Crankshaft
12	526-0185	1	Washer, Flat (15/32" ID x 1-1/2" OD x 3/8" Thk)
13	850-0055	1	Washer, Lock - Spring (7/16")
14	800-0054	2	Screw, Cap - Hex Head (3/8-16 x 2")
15	850-0050	2	Washer, Lock - Spring (3/8")
16	515-0006	1	Key, Fan to Crankshaft

CAMSHAFT



REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
+ 1	105-0485	1	Camshaft (Includes Center Pin)
2	515-0001	1	Key - Camshaft Gear
3	150-0075	1	Pin, Center
4	105-0205	1	Washer, Thrust
5	105-0218	1	Gear Assembly, Camshaft
			(Includes Parts Marked *)
6	510-0046	10	Flyball, Governor
7	150-0775	1	Cup, Governor
8	150-0078	1	Ring, Center Pin
9	105-0465	1	*#Gear, Camshaft
10	150-0773	1	*#Plate, Governor Flyball
11	150-1842	1	*#Spacer Kit, Governor Flyball
			(Includes Mounting Screws)
12	815-0506	3	*Screw, Spacer Mounting (Special)

^{* -} Parts Included in 105-0218 Camshaft Gear Assembly.


^{# -} Camshaft Gear Assemblies With Rivets Order 105-0218 Camshaft Gear Assembly.

CYLINDER HEAD

			() I LIIVI	JER NEMD
REF.		QTY.		
NQ.	NO.	USED	DESCRIPTION	
	403-0707	1	Bracket Kit, Lifting (Includes	42 23
1	HEAD, CYLII	NDER	Parts Marked £)	24
'	110-2986	1	With Valves (Includes Cylinder	
	110-2300	'	Head Oil Line Connector and	
			Parts Marked #)	
	110-2984	1	#Without Valves (Includes Parts	
			Marked △)	33,34
2	110-2464	1	Gasket, Cylinder Head	37 35
3	110-1501		#∆Guide, Valve	
4	INSERT, VA		 #∆Standard	
	110-1268 110-1268-02		.002" Oversize	F-1-20
	110-1268-05		.005" Oversize	
	110-1268-10		.010" Oversize	
	110-1268-25	4	.025" Oversize	
5	110-1871	2	#Valve, Intake	21
6	110-1278	2	#Valve, Exhaust	
7	110-1221 110-1220	4	#Spring, Valve Spring	36 36 26
8 9	110-1220	4 8	#Retainer, Valve Spring #Lock, Valve Spring Retainer	
10	110-0859	4	Cap, Valve Stem	15
11	509-0132	2	#Seal, Oil - Intake Valve	30 14
12	ARM, ROCK	ŒR	•	12
	115-0128	2	Exhaust	
40	115-0129	2	Intake	10
13 14	505-0110 115-0127	1 4	#△Plug, Pipe - Square Head (3/8″) Bali. Rocker Arm	9
15	115-0127	4	Locknut, Rocker Arm	16 8 07
16	115-0152	4	#Stud, Rocker Arm	41 9 7 27
17	115-0149	4	Rod, Valve Push	13
18	115-0195	4	‡Tappet, Valve	1 19
19	115-0196		#△Guide, Push Rod	29
20	115-0134	1 .		19 25
21	120-0628	1	(Includes Parts Marked *) *Line, Oil - Rocker Cover	
22	115-0130	i	Gasket, Rocker Cover	() O) ()
23	800-0091	1	£Screw, Cap - Hex Head	
			(1/2-13 x 1-1/4")	
24	850-0060	1	£Washer, Lock - Spring (1/2")	
25	526-0174	7	Washer, Flat (.406" ID x .781" OD x .1345 Thk)	32
26	526-0130	1	*Washer, Flat (17/64" ID x	
20	020 0100	•	1" OD x 1/16" Thk)	31
27	520-0608	4	#Stud, Exhaust Manifold	7 1 6
28	309-0291	1	Guard, High Temperature Switch	
29	800-0501	6	Screw, Cap - Hex Head (Special)	
30	110-1264 PLUG, GLO	5 W. (India)	Screw, Cap - Hex Head (Special)	2 6 5
31	333-0106	2	12 Volt	
	333-0107	2	24 Volt	
32	110-0546	2	Gasket, Glow Plug	· · · · · · · · · · · · · · · · · · ·
33	800-0038	2	£Screw, Cap - Hex Head	
		_	(5/16-18 x 3-1/4")	
34	800-0030	2	Screw, Cap - Hex Head	, ·
35	850-0045	4	(5/16-18 x 1-1/4") Washer, Lock - Spring (5/16")	
36	815-0562	1	*Screw, Pan Head - Cross	38
00	010 0002	'	Recessed (#10 x 5/16")	38
37	403-0826	2	£Spacer, Lifting Bracket	40
38	309-0156	1	Switch, High Temperature	
39	813-0096	2	Screw, Machine - Round Head	28
40	950 0000	0	(#10-32 x 1/4")	~ <u>~</u>
40 41	850-0030 505-0274	2 1	Washer, Lock - Spring (#10) #∆Plug, Pipe - Countersunk Hex	/ //
41	303-0214		Head (1/8")	₩ 8
42	403-0825	1	£Bracket, Lifting	18
			-	U
£ - Pa	arts Included i	in 403-07	07 Lifting Bracket Kit	C-1054


^{£ -} Parts Included in 403-0707 Lifting Bracket Kit # - Parts Included in 110-2986 Cylinder Head △ - Parts Included in 110-2984 Cylinder Head * - Parts Included in 115-0134 Rocker Cover Assembly ‡ - Parts Included in 110-2693 Cylinder Block Assembly

OIL BASE




REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION	REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	102-0540	1	Base, Oil	12	800-0081	4	*Screw, Cap - Hex Head
2	102-0451	1	Gasket, Oil Base				(7/16-14 x 3-1/2")
3	800-0072	4	Screw, Cap - Hex Head	13	850-0055	4	*Washer, Lock - Spring (7/16")
			(7/16-14 x 1-1/4")	14	526-0128	4	*Washer, Flat (15/32" ID x 1-1/2"
4	850-0055	4	Washer, Lock - Spring (7/16")				OD x 1/4" Thk)
5	505-0078	1	Nipple, Pipe (1/2" x 2-1/2")	15	526-0198	8	*Washer, Flat (5/8" ID x 1-1/2"
6	504-0011	1	Valve, Oil Drain				OD x 1/16" Thk)
7	503-0197	1	Clamp, Hose				(Use as Required)
8	503-0316	1	Hose, Oil Drain	16	402-0282	4	*Snubber, Cushion Mounting
9	405-1402	1	Pan, Drip	17	402-0290	4	*Bushing, Spacer
10	405-1265	2	Clamp, Drip Pan	18	CUSHION,	VIBRATION	
11	402-0360	4	Hardware Package, Mounting		402-0284	2	Engine End
			(Includes Parts Marked *)		402-0285	2	Generator End
				19	505-0100	1	Nipple, Close - Pipe (1/2")

^{* -} Parts Included in 402-0360 Mounting Hardware Package.




REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION	REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	120-0547	1	Pump, Oil	13	120-0539	1	Valve, Oil By-Pass
2	120-0580	1	Gasket Kit, Oil Pump	14	120-0555	1	Spring, By-Pass Valve
3	120-0551	1	Cup, Oil Pump Intake	15	505-0274	1	Plug, Pipe - Countersunk (1/8") Oil By-Pass
4	FILTER, OIL		01 1 1 (4 0 (0!!)	16	309-0169	1	Switch, Low Oil Pressure
	122-0185	1	Standard (4-3/8")	17	501-0003	i i	Line, Oil
	122-0193	1	Heavy Duty (5-3/4")	18	502-0058	i	Tee, Oil Gauge Mounting
5	122-0188	1	Gasket, Filter Adapter	19	800-0028	3	Screw, Cap - Hex Head
6	122-0182	1	Adapter, Oil Filter	19	000-0020	O	(5/16-18 x 1")
7	193-0006	1	Gauge, Oil Pressure	00	050 0045	3	Washer, Lock - Spring (5/16")
8	502-0003	1	Connector, Tee to Oil Line	20	850-0045	2	Screw, Cap - Hex Head
9	505-0057	1	Plug, Pipe - Square Head (1/8")	21	800-0030	2	(5/16-18 x 1-1/4")
10	502~0037	1	Elbow, Oil Line to Adapter				Washer, Lock - Spring (5/16")
11	120-0622	1	Line, Oil - Injector Pump Tee to Cylinder Head	22	850-0045	2	Washer, Lock - Spring (5/10)
12	502-0281	1	Connector, Oil Line to Cylinder Head (Included in Replace- ment Cylinder Head with Valves)				

AIR INTAKE SYSTEM (12 VOLT DC)




REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION	REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	140-0804	1	Adapter, Resonator	16	800-0006	1 .	Screw, Cap - Hex Head
2	141-0281	1	Gasket, Adapter Mounting				(1/4-20 x 7/8") Sets With
3	520-0011	2	Stud, Adapter Mounting				Sound Shield Housing
4	870-0137	2	Nut, Hex - Self Locking (5/16-24)	17	526-0108	1	Washer, Flat (17/64" ID x
5	140-0803	1	Resonator				7/16" OD x 1/32" Thk) Sets
6	140-0584	1	Gasket, Resonator Mounting				with Sound Shield Housing
7	800-0011	2	Screw, Cap - Hex Head (1/4-20 x 2" long)	18	800-0015	1	Screw, Cap - Hex Head (1/4-20 x 3") Sets with Sound Shield
8	850-0040	2	Washer, Lock - Spring (1/4")				Housing
9	503-0557	1	Hose, Breather	19	140-0645	1	Adapter, Air Intake - Sets with
10	503-0170	2	Clamp, Breather Hose				Sound Shield Housing
11	154-0712	1	Heater, Manifold	20	140-1266	1	Hose, Rubber - Air Intake - Sets
12	LEAD, GLO'	W PLUG T	O AIR HEATER				With Sound Shield Housing
	336-1505	1	No. 1 Cylinder (5-1/4" long)	21	503-0365	2	Clamp, Hose - Sets with Sound
	336-1504	1	No. 2 Cylinder (12-1/4" long)				Shield Housing
13	336-1418	1	Lead, Solenoid to Air Heater	22	503-0691	1	Hose, Rubber - Air Intake - Sets
14	517-0126	1	Plug, Dot Button - Sets with Sound Shield Housing				with Sound Shield Housing
15	850-0040	1	Washer, Lock - Spring (1/4") Sets with Sound Shield Housing				



INJECTION SYSTEM

REF. NO.	PART NO.	QTY. USED		REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
	147-0389	1	Kit, Bearing and Seal Replace-	43			ON - INJECTION PUMP TO NOZZLE
			ment - For Injection Pump		149-1512	1	No. 1 Cylinder No. 2 Cylinder
			Mounting Adapter Assembly (Includes Parts Marked †)	44	149-1513 149-1190	1 1	Line, Fuel - Fuel Pump to Filter
	149-1046	1	Repair Kit, Fuel Pump	45	502-0003	1	Connector, Pipe
1	147-0378	2	Nozzle and Holder Assembly	46	502-0005	2	Elbow, Inverted - Brass (45°)
•	177 0010	-	(Includes Parts Marked *)	47	149-1703	1	Pump, Fuel (Includes Parts
2	147-0377	2	*Nozzle (Includes 147-0243	• • •			Marked □)
			Gasket)	48	BAIL, FUEL	. PUMP	,
3	502-0065	2	Elbow, Inverted (45°)		149-1006	1	Sets With Long (2-3/8") Fuel
4	147-0141	2	Flange, Injection Nozzle				Pump Bowl
5	114-0171	4	Screw, Cap - Hex Head		149-1169	1	#□Sets With Short (1-5/8") Fuel
6	526-0122	4	Washer, Flat (11/32" ID x				Pump Bowl
_			23/32" OD x 10 Ga. Thk)	49	BOWL, FUE		D. J. J. H. J. H. Control of the
7	LINE, NOZZ				149-1964	1	Replacement Kit for Sets with
	149-1509	1	No. 1 Cylinder				Long (2-3/8") Fuel Pump Bowl
0	149-1508	1	No. 2 Cylinder		140 1000	4	(Includes Parts Marked #) #□Sets with Short (1-5/8") Fuel
8	502-0102	2	Tee, Fuel Return Line		149-1620	I	Pump Bowl
9 10	149-1510 332 - 2050	1 2	Line, Fuel Return Clamp, Fuel Line	50	149-0517	1	□Gasket, Fuel Pump Bowl
11	804-0018	2	Screw, Cap - Socket Head	50 51	149-0517	1	□Screen, Fuel Pump Bowl
	804-0018	4-	(#10-32 x 5/8")	52	502-0020	1	Elbow, Fuel Pump Inlet
12	147-0338	1	Adapter Assembly, Injection	53	505-0061	1	Nipple, Pipe (1/8" x 2")
12	147-0000		Pump Mounting (Includes	54	502-0017	1	Connector, Fuel Line
			Parts Marked £)	55	149-0792	1	□Gasket, Fuel Pump Mounting
13	510-0120	2	£†Bearing, Needle Roller	56	149-1307	2	□Washer, Fuel Pump Mounting
14	518-0372		£†Ring, External Retaining	57	802-0054	2	□Screw, Cap - Socket Head
15	509-0144	1	£†Seal, Bonded Shaft	0,	002 0001	-	(5/16-18 x 7/8")
16	147-0339	1	£Shaft & Yoke Assembly,	58	850-0045	2	Washer, Lock - Spring (5/16")
			Injection Pump	59	149-1185	1	Adapter, Fuel Filter
17	147-0337	1	£Adapter, Injection Pump	60	122-0326	1	Filter, Secondary Fuel
			Mounting	61	122-0325	1	Filter, Primary Fuel
18	147-0335	1	£Plunger, Fuel Injection	62	502-0080	2	Plug, Pipe - Fuel Filter Drain
19	147-0344	1	£Spring, Fuel Injection Plunger	63	801-0074	1	Screw, Cap - Hex Head
20	147-0345	1	£Guide, Fuel Injection Plunger				(7/16-20 x 1-3/4")
21	870-0328	1	£Nut, Elastic Stop	64	526-0068	1	Washer, Flat (29/64" ID x
22	147-0388	1	Shim Kit, Fuel Injection Pump				3/4" OD x 1/16" Thk)
23	147-0355	1	Pump Assembly, Fuel Injection (Includes Parts Marked **)	65	801-0053	1	Screw, Cap - Hex Head (3/8-24 1-3/4")
24	147-0356	2	**Washer, Hollow Screw Mounting	66	526-0066	1	Washer, Flat (25/64" ID x
25	147-0354	1	**Eye, Fitting (Fuel Inlet)				9/16" OD x 1/16" Thk)
26	147-0353	1	**Screw, Hollow	67	147-0044	4	Shield, Nozzle Heat
27	147-0352	1	**Eye, Fitting (Fuel Return)	68	147-0043	2	Gasket, Nozzle Heat Shield
28	147-0357	2	**Washer, Hollow Screw Mounting	69	110-0419	2	Gasket, Shield to Head
29	147-0351	1	**Screw, Hollow	70	502-0099	1	Elbow, Reducing - Brass
30	147-0322	1	Gasket, Mounting	71	501-0242	2 2	Line, Fuel
31	516-0141	2	Pin, Alignment - Fuel Injection Pump Adapter	72	147-0243		*Gasket, Nozzle
22	802-0054	4	Screw, Cap - Socket Head	73	VALVE, DE		Llead with Bryon Bumps
32	602-0054	4	(5/16-18 x 7/8") Adapter		147-0550 147-0551	2 2	Used with Bryce Pumps Used with Kiki Pumps
			Mounting	74			
33	850-0045	4	Washer, Lock - Spring (5/16")	74	147-0553	2	Used with Bryce Pumps
00	000 00+0		Adapter Mounting		147-0552	2	Used with Kiki Pumps
34	516-0187	2	Pin, Alignment - Fuel Injection Pump (Used with Bryce	75	147-0554	2	"O" Ring - Used with Bryce Pumps
			Pumps)				•
35	802-0054	4	Screw, Cap - Socket Head Fuel Injection Pump Mounting	† - P	arts Included Kit.	in 147-03	89 Bearing and Seal Replacement
36	850-0045	4	(5/16-18 x 7/8" long) Washer, Lock - Spring - Fuel Injection Pump Mounting	£ - Pa	arts Included arts Included	in 147-03	78 Nozzle and Holder Assembly. 38 Fuel Injection Adapter Assembly.
			(5/16)				55 Fuel Injection Pump Assembly.
37	147-0350	1	Cover, Yoke and Shaft Assembly				03 Fuel Pumps.
38	147-0346	1	Cover, Plunger	# - Pa		in 149-19	64 Fuel Pump Bowl Replacement
40	501-0222	1	Line, Fuel - Bleeder Line to Tee		Kit.		
41	503-0685	2	Clamp, Hose				
42	501-0223	1	Line, Fuel - Filter to Injection				
-12	30. 0220	•	Pump				


GEARCASE



REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	103-0277	_ 1	Gearcase Assembly (Includes Parts Marked *)
2	150-1605	1	Arm, Governor
3	516-0111	i	*Pin, Governor Cup Stop
4	150-0777	1	*Yoke. Governor
5	518-0129	1	*Ring, Yoke Retaining
6	509-0088	1	*Seal, Governor Shaft
7	510-0048	i	*Bearing, Shaft - 1/2" Shaft
8	510-0082	i	*Bearing, Shaft - 1/4" Shaft
9	510-0043	1	*Ball, Governor Shaft Thrust
10	509-0087	i	*Seal, Oil
11	150-0838	i	*Shaft, Governor
12	815-0176	1	*Screw, Machine-Hex Head
			(#8-32 x 1/2")
13	103-0228	1	Backplate, Gearcase
14	815-0347	2	Screw, Machine - Flat Head -
			Socket Drive (1/4-20 x 1/2")
15	526-0115	5	Washer, Flat (11/32" ID x
			11/16" OD x 1/16" Thk)
16	103-0251	. 1	Gasket, Gearcase
17	103-0218	1	Gasket, Backplate
18	110-0879	4	Screw, Cap - Hex Head (Special)
19	800-0028	1	Screw, Cap - Hex Head
			(5/16-18 x 1")
20	850-0045	5	Washer, Lock - Spring (5/16)
21	800-0026	1	Screw, Cap - Hex Head
			(5/16-18 x 3/4")
22	850-0045	1	Washer, Lock - Spring (5/16)
23	850-0025	1	*Washer, Lock - Spring (#8)

^{* -} Parts Included in 103-0277 Gearcase Assembly.


GOVERNOR



REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	150-1628	1	Bracket, Governor Spring
2	150-1084	1	Spring, Governor
3	150-1082	1	Stud, Governor Spring
4	862-0003	1	Nut, Governor Spring
5	815-0482	1	Screw, Machine - Fillister Head - Cross Recessed (3/8-16 x 1-3/4")
6	850-0050	1	Washer, Lock - Spring (3/8")
7	864-0003	1	Nut, Hex - Jam (3/8-16)
8	150-1603	1	Post and Arm Assembly (Includes Screw and Washer)
9	804-0018	1	Screw, Cap - Socket Head (#10-32 x 5/8")
10	850-0030	1	Washer, Lock - Spring (#10)
11	526-0030	1	Washer, Flat (13/32" ID x 7/8" OD x 1/8" Thk)
12	150-1610	1	Linkage Assembly, Governor (Includes Parts Marked *)
13	150-0939	1	*Joint, Ball
14	870-0131	1	*Nut, Hex - ET (#10-32)
15	871-0010	2	*Nut, Hex - Brass (#10-32)

^{* -} Parts Included in 150-1610 Governor Linkage Assembly.

STOP SOLENOID (PRIOR TO SERIAL NUMBER D810555279 DURING SPEC AD)



START DISCONNECT

853-0013

22


Washer, Lock - External

(1/4'')

Ring, External Retaining


14

518-0218



REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION	REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	191-0496	1	Plate	10	160-0806	1	Disc, Thrust Plunger
2	309-0134	1	Switch Assembly (Includes	11	160-0774	1	Plunger, Thrust
			Leads)	12	160-0773	i	Spring, Thrust Plunger
3	309-0152	1	Plunger, Switch	13	520-0347	1	Stud, Plate Cover (Special)
4	160-0382	1	Diaphragm, Switch Plunger	14	815-0201	2	Screw, Machine - Brass -
5	160-0720	1	Spacer, Switch Plate	• •	0.0 0201	_	Round Head with ET
6	160-0721	1	Gasket, Plate				(#8-32 x 3/8")
7	191-0392	1	Cover, Switch Plate	15	865-0011	4	(#6-32 x 3/6) Nut, Wing (#10-32)
8	191-0388	1	Control Assembly, Switch	16	800-0052	2	
9	160-0711	2	Spring, Weight (Included in	10	000-0032	2	Screw, Cap - Hex Head (3/8-16 x 1-1/2")
			Switch Control Assembly)	17	850-0050	2	Washer, Lock - Spring (3/8")


STOP SOLENOID (BEGIN SERIAL NUMBER D810555280 DURING SPEC AD)



STARTER (PRESTOLITE)


REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION	1 13
1	800-0051	2	Screw, Cap - Hex Head	2 3 9 6
			(3/8-16 x 1-1/4")	12 5
2	850-0050	2	Washer, Lock - Spring (3/8")	
3	SCREW, CA	P - HEX HE	AD	
	800-0053	1	3/8-16 x 1-3/4"	
	800-0054	2	3/8-16 x 2"	
4	850-0050	3	Washer, Lock - Spring (3/8")	10
5	800-0052	1	Screw, Cap - Hex Head	
			(3/8-16 x 1-1/2")	
6	850-0050	1	Washer, Lock - Spring (3/8")	8
7	191-0311	1	Spacer, Starter	
8	191-1190	1	Flange, Starter	17
9	800-0046	1	Screw, Cap - Hex Head	
			(3/8-16 x 1/2")	7
10	864-0003	1	Nut, Hex (3/8-16)	(0)
11	856-0010	1	Washer, Lock - External/Internal	
			Tooth (3/8")	
12	191-0365	1	Bracket, Starter	
13	STARTER (See Separa	te Page for Components)	
			Spec AB Through AD	
	191-0324	1	12 Volt DC Sets	37 \ /
	191-0443	1	24 and 32 Volt DC Sets	3 4 8 1
	191-0443	1	Begin Spec AE - 24 and 32 Volt	
			DC Sets	ES-1129
14	416-0021	2	Cable, Battery	
15	416-0133	1	Cable, Battery Jumper	
16	416-0096	1	Clamp, Battery Cable	
17	338-0279	1	Harness, Wiring	

STARTER PARTS (PRESTOLITE)



REF.	PART NO.	QTY. USED	PART DESCRIPTION	REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
	STARTER			9	191-1027	1	Spring, Plunger
	191-0324	1	12 Volt DC Sets	10	191-1028	1	Core Assembly, Moving
	191-0443	1	24 and 32 Volt DC Sets	11	SWITCH, SO	LENOID	
1	ARMATURE				191-0433	1	12 Volt DC Sets
	191-0712	1	12 Volt DC Sets		191-0715	1	24 and 32 Volt DC Sets
	191-0713	1	24 and 32 Volt DC Sets	12	191-1029	1	Parts Package, Yoke
2	191-0432	1	Clutch	13	191-1030	1	Stop and Lock Ring Package,
3	191-1023	1	Head Assembly, Commutator End				Pinion
4	COIL PACKAG	E, FIELD	•	14	191-1031	1	Thrust Washer Package, Armature
	191-1024	1	12 Volt DC Sets				(Use as Required)
	191-1043 1 24 and 32 Volt DC Sets			15	BRUSH SET,	SERVICE	, ,
5	PLATE ASSEM	ABLY, BRI	USH		191-0434	1	12 Volt DC Sets
	191-1025	1	12 Volt DC Sets		191-0714	1	24 and 32 Volt DC Sets
	191-1042	1	24 and 32 Volt DC Sets	16	191-1032	1	Yoke
6	191-1020	1	Spring Set, Brush (Set of 4)	17	191-0468	1	Cover, Solenoid
7	191-1263	1	Connector Package	18	191-1134	1	Boot, Rubber - Part of Moving
8	191-0497	1	Bearing (Bronze), Drive End				Core Assembly

STARTER (MITSUBISHI)




X ES-1359

REF NO		QTY. USED	PART DESCRIPTION
1	191-1398	1	Starter - Begin Spec AE - 12 Volt DC Sets (See Separate Page for Components) (Includes Parts Marked *)
2	191-1400	1	Flange, Starter Mounting
3	134-4154	1	Baffle, Starter
4	800-0051	2	Screw, Cap - Hex Head (3/8-16 x 1-1/4")
5	850-0050	5	Washer, Lock - Spring (3/8")
6	860-2008	1	*Nut, Hex (M8) B+ Terminal
7	850-2008	1	*Washer, Lock - Spring (M8) B+ Terminal
8	800-2000	1	*Screw, Cap - Hex Head (M5 x 8MM) Solenoid Terminal
9	850-2005	1	*Washer, Lock - Spring (M5) Solenoid Terminal
10	191-0311	1	Spacer, Flange
11	800-0053	1	Screw, Cap - Hex Head (3/8-16 x 1-3/4")
: 12	800-0054	2	Screw, Cap - Hex Head (3/8-16 x 2")

^{* -} Parts Included With 191-1398 Starter


STARTER PARTS (MITSUBISHI)



REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
	191-1398	1	Starter (12 Volt DC Sets)
1	191-1458	1	Screw Set
2	191-1459	1	Bracket, Front - Includes Bearing
2 3	191-1477	1	Bolt, Through
4	191-1478	1	Switch
5	191-1462	1	Gear
	191-1463	1	Clutch
	191-1464	1	Cover Set
8	191-1465	1	Pinion Set (Includes Parts Marked *)
9	191-1466	1	*Stopper Set
10	191-1467	1	Lever
11	191-1468	1	Spring Set
12	191-1469	1	Bracket, Center
13	191-1470	1	Bolt, Through
14	191-1471	1	Armature Assembly (Includes Parts Marked #)
15	191-1472	1	#Bearing, Center
16	191-1473	1	#Bearing, Rear
17	191-1474	1	Yoke ~ Includes Pole Shoes, Field Coil and Positive Brushes
18	191-1475	1	Holder Assembly, Brush (Includes Negative Brushes and Parts Marked ‡)
19	191-1007	4	‡Spring, Brush
20	191-1476	1	Bracket, Rear

^{* -} Parts Included in 191-1465 Pinion Set # - Parts Included in 191-1471 Armature Assembly ‡ - Parts Included in 191-1475 Brush Holder Assembly


WATER PUMP PARTS (131-0257)



REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
	131-0257	1	Pump, Water
	131-0258	1	Repair Kit, Water Pump -
			Includes Parts Marked *
1	131-0212	1	Body
2	131-0222	1	*Shaft
3	131-0219	1	*Slinger
4	131-0210	1	*Gasket
5	131-0218	1	*impeller
6	. 132-0229	1	Housing Kit, Impeller - Includes
			Parts Marked # (Kit Replaces
			Impeller Housing With 1"
			Mounting Flange)
7	518-0392	1	*Ring, Retaining - External
8	SCREW, MA	CHINE - F	ILLISTER HEAD BINDING
	815-0477	4	Impeller Housing With 1"
			Mounting Flange
			(#10-32 x 1-1/8")
	815-0465	4	#Impeller Housing With 1/8"
			Mounting Flange
			(#10-32 x 3/8")
		-	*Plate, Wear
		•	*Seal, Rotary
11	518-0373	1	*Ring, Retaining - Internal
	1 2 3 4 5 6	131-0257 131-0258 1 131-0212 2 131-0222 3 131-0219 4 131-0210 5 131-0218 6 132-0229 7 518-0392 8 SCREW, MA 815-0465 9 131-0217 10 131-0220	131-0257 1 131-0258 1 1 131-0258 1 1 131-0212 1 2 131-0222 1 3 131-0219 1 4 131-0210 1 5 131-0218 1 6 132-0229 1 7 518-0392 1 8 SCREW, MACHINE - FI 815-0477 4 815-0465 4 9 131-0217 1 10 131-0220 1

^{* -} Parts Included in 131-0258 Repair Kit # - Parts Included in 132-0229 Impeller Housing Kit


COOLING SYSTEM



COOLING SYSTEM


REF.	PART NO.	QTY. USED	PART DESCRIPTION	REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1		SSEMBL	Y, EXHAUST (Includes Parts	31	503-0696	1	Hose, Water (1/2" x 7") Pump to Block - Sets Without Heat
	154-2123	1	Sets With Heat Exchanger	20	503-0183	3	Exchanger or Keel Cooling Clamp, Hose - Sets Without Heat
2	154-2122	1 2	Sets With Heat Exchanger Gasket, Exhaust Manifold	32	303-0103	3	Exchanger or Keel Cooling
2 3	154-1057 505-0110	1	Plug, Pipe (3/8") Not Used on	33	BRACKET.	WATER PL	MP MOUNTING
0	505 6116	•	Sets With Heat Exchanger	0.0	131-0241	1	Sets Without Heat Exchanger
4	502-0074	1	Elbow, Inverted Male (Brass) Not		131-0227	1	Sets With Heat Exchanger
			Used on Sets With Heat	34	800-0006	2	Screw, Cap - Hex Head
			Exchanger			_	$(1/4-20 \times 1-1/8")$
5	502-0103	1	Connector, Inverted Male	35	870-0212	2	Nut, Hex - Self Locking (1/4-20)
			(Brass) Not Used on Sets With	36	502-0238	лк, нове · 1	- PUMP INLET Straight - Sets Without Heat
6	130-0510	1	Heat Exchanger Line, Water - Not Used on Sets		302-0230	•	Exchanger or Keel Cooling
Ū	100 0010		With Heat Exchanger		502-0575	1	Elbow (45°) - Sets With Heat
7	COVER, THE	RMOSTA	Т				Exchanger or Keel Cooling
	309-0144	1	Sets Without Heat Exchanger or	37	502-0237	2	Elbow, Hose - 90° (Brass) Pump
			Keel Cooling				Outlet and Block Inlet - Sets
	309-0161	1	Sets With Keel Cooling	20	131-0130	1	Without Keel Cooling Bar, Water Pump Holddown -
0	309-0282 505-0274	1 1	Sets With Heat Exchanger Plug, Pipe - Countersunk	38	131-0130	1	Sets Without Heat Exchanger
8	505-0274	ı	Hex (1/8")				or Keel Cooling
9	309-0145	1	Gasket, Thermostat Cover	39	800-0005	2	Screw, Cap - Hex Head (1/4-20 x
_			Mounting				3/4") Sets Without Heat
10	THERMOSTA					_	Exchanger or Keel Cooling
	309-0130	1	Sets Without Heat Exchange or	40	850-0040	2	Washer, Lock - Spring (1/4")
	222 2222	4	Keel Cooling				Sets Without Heat Exchanger or Keel Cooling
	309-0289	1	Sets With Heat Exchanger or Keel Cooling	41	800-0034	2	Screw, Cap - Hex Head (5/16-18
11	520-0143	2	Stud, Thermostat Cover	41	000 0004	-	x 2-1/4") Sets With Heat
, ,	320 0140	-	Mounting - Sets Without Heat				Exchanger
			Exchanger	42	526-0113	2	Washer, Flat (11/32" ID x 1" OD
12	869-0002	2	Nut, Acorn (Special) Sets				x 3/32" Thk) Sets With Heat
			Without Heat Exchanger	40	000 0400		Exchanger
13	502-0237	1	Elbow, Hose - 90° (Brass) Not Used on Sets With Heat	43	309-0420	1	Switch, High Exhaust Temperature - Use Began
			Exchanger				During Spec AD
14	503-0084	1	Hose, Water (1/2" x 6") Sets	44	815-0410	2	Screw, Machine - Binding Head
1-7	000 000 1		Without Heat Exchanger or				(#6-32 x 1/4") Use Began
			Keel Cooling				During Spec AD
15	505-0949	1	Plug, Pipe - Countersunk	4 5	854-0008	2	Washer, Lock - IT (#6) Use
	500 054 5	0	(1-1/4") Clamp, Hose - Sets Without Heat	46	900 0006	4	Began During Spec AD Screw, Cap - Hex Head
16	503-0547	2	Exchanger or Keel Cooling	46	800-0026	4	(5/16-18 x 3/4")
17	155-1058	1	Elbow, Exhaust	47	850-0045	4	Washer, Lock - Spring (5/16")
18	505-0625	1	Nipple, Close (1-1/4")	48	800-0512	2	Screw, Cap - Hex Head
19	503-0575	1	Elbow, Exhaust Hose				(5/16-18 x 1") Sets With Heat
20	502-0237	2	Elbow, Hose - 90° (Brass) Sets			_	Exchanger
		_	With Heat Exchanger	49	526-0113	2	Washer, Flat (11/32" ID x 1" OD x 3/32" Thk) Sets With Heat
21	503-0465	2 3	Clamp, Hose *Plug, Welch				Exchanger
22 23	517-0041 526-0122	2	Washer, Flat	50	503-0586	1	Hose, Water Pump Inlet
20	320 0122	_	(11/32" ID x 23/32" OD x	0.0	000		(1/2 x 36")
			10 Gauge Thk)	51	803-0063	1	#Screw, Set
24	110-0445	4	Nut, Hex (Special)	52	800-0003	4	Screw, Cap - Hex Head
25	526-0045	4	Washer, Flat (21/64" ID x		050 0040	4	(1/4-20 x 1/2") Washer, Lock - Spring (1/4")
0.0	101 0057	-1	5/8" OD x 1/8" Thk) Pump, Water (Sea Water)	53 54	850-0040 800-0006	4 2	Screw, Cap - Hex Head
26	131-0257	1	(See Separate Group for	34	800-0000	_	(1/4-20 x 1-1/8") Sets With
			Components)				Heat Exchanger or Keel
2 7	BRACKET, W	ATER PU	MP MOUNTING				Cooling
	131-0228	1	Spec AB Through AD	55	870-0212	2	Nut, Hex - Self Locking (1/4-20)
	131-0362	1	Begin Spec AE				Sets With Heat Exchanger or
28	512-0135	1	Pulley Kit, Water Pump -	F.0	F00 0007	4	Keel Cooling Elbow, Hose - 90° (Brass)
	DELT WATE	ם אווים	Includes Parts Marked #	56	502-0237 154-1665	1 2	Tab, Lock (Use Began in 1983)
29	BELT, WATE 511-0067	R PUMP 1	Sets Without Heat Exchanger or	57 58	154-1665 1FAD FYH		PERATURE SWITCH
	311-000/	'	Keel Cooling	JU	336-7571	1	13-1/2"
	511-0076	1	Sets With Keel Cooling		336-7572	1	25"
	511-0103	1	Sets With Heat Exchanger				
30	GUARD, WA	TER PUM	P BELT				anifold Assemblies
	131-0229	1	Sets Without Keel Cooling	# - Pa	rt Included in	Pulley Kit 5	12-0135
	131-0250	1	Sets With Keel Cooling				

GENERATOR (12 VOLT DC)




GENERATOR (12 VOLT DC)

REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION	REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	STATOR, G	ENERAT (OR	31	232-0200	1	Washer - Cone Shaped
			50 Hertz				(Special) Rotor Through Stud
	220-2023	1	Single Phase	32	853-0013	2	Washer, Lock (1/4" ET) -
	220-2048	1	Three Phase				Exciter Stator
			60 Hertz	33	856-0003	1	Washer, Lock (#10 EIT) -
	220-2015	1	Single Phase				Resistor Tap
	220-2040	1	Three Phase	34	800-0004	2	Screw, Cap - Hex Head
2	201-2155	1	Rotor Assembly, Generator				(1/4-20 x 5/8") - Exciter
_	#10 0 / / B		(Includes Parts Marked *)	0.5	CODEW M	AOLUNIE	Stator Mounting
3	510-0112	1	*Bearing, Rotor	35			ROUND HEAD (End Bell
4	232-2398	1	*Spacer, Bearing		Cover Mour 812-0165	nting) 2	Cata Mithaut Overanged Cuitab
5	201-2151	1	*Rotor, Exciter		812-0165	2	Sets Without Overspeed Switch (1/4-20 x 4-1/2")
6	515-0094	1	*Key, Exciter Rotor		812-0167	2	Sets With Overspeed Switch
7 8	870-0284 205-0105	1 1	*Nut, Exciter Rotor Locking *Fan, Generator		012-0107	2	(1/4-20 x 6")
	526-0008	12	*Washer, Flat (13/64" ID x	36	815-0194	6	Screw, Hex Head - Thread
10	320-0006	12	7/16" OD x 1/32" Thk)	30	010-0104	U	Cutting with ET (#10-32 x
11	870-0131	8	*Nut, Hex (#10-32)				3/8") Board (2) and Baffle
12	358-0069	1	*Rectifier Assembly - Positive				(4) Mounting
13	358-0070	1	*Rectifier Assembly - Negative	37	812-0169	1	Screw, Machine - Round Head
14	853-0008	4	*Washer, Shakeproof (#10)	07	0,2 0,00	•	(1/4-20 x 5-1/2") - Resistor
15	813-0100	4	*Screw, Round Head				Through
13	010 0100	,	(#10-32 x 1/2")	38	811-0098	1	Screw, Machine - Round Head
16	515-0103	1	*Key, Fan to Rotor				(Brass) (#10-32 x 3/8") -
17	220-2009	1	Stator, Exciter				Resistor Tap
18	COVER, EN	-	Ctator, Exertor	39	800-0004	2	Screw, Cap - Hex Head
	234-0185	1	Sets Without Overspeed Switch				(1/4-20 x 5/8") - Resistor
	234-0498	1	Sets With Overspeed Switch				Bracket
19	509-0094	1	Seal, Bearing ("O" Ring)	40	520-0787	1	Stud, Rotor Through
20	520-0795	4	Stud, Generator Through	41	234-0462	1	Baffle, Air
21	850-0050	4	Washer, Lock - Spring (3/8") -	42	508-0112	1	Grommet, Rubber - Generator
			Generator Through Stud				Adapter (2-3/4" x 1-7/8")
22	850-0040	2	Washer, Lock - Spring (1/4") -	43	211-0237	1	Bell, End
			End Bell Cover	44	232-2418	1	Board, Connection
23	850-0040	2	Washer, Lock - Spring (1/4") -	45	231-0171	1	Adapter, Generator
			Resistor Bracket	46	234-0494	1	Cover Assembly, Air Outlet
24	850-0055	1	Washer, Lock - Spring (7/16") -		004.0500		(Includes Parts Marked #)
			Rotor Through Stud	47	304-0500	1	Resistor, Tapped - Adjustable
25	853-0013	1	Washer, Lock (1/4" ET) -	48	232-2399	1	Bracket, Resistor Mounting
	000 0010		Resistor Through Screw	49	304-0006	2	Washer, Centering - Resistor Mounting
26	809-0046	1	#Screw, Sheet Metal - Round	50	870-0177	1	#Nut, Speed (#10)
07	000 0011	4	Head (#10 x 3/4")	50 51	508-0095	1	Grommet, Rubber - Air Baffle
27	862-0011	4	Nut, Hex (3/8-16) - Generator	51	300-0093	,	(25/32" x 21/32")
00	870-0203	-1	Through Stud Nut, Hex (7/16-20) - Rotor				(25/52 X 21/52)
28	670-0203	1	Through Stud				
00	871-0010	1	Nut, Hex - Brass (#10-32)				5 Generator Rotor Assembly.
29	071-0010	1	Resistor Tap	# - Pa	rts Inclu <mark>de</mark> d i	n 234-049	4 Cover Assembly.
30	526-0260	2	Washer, Flat (Special) -				
30	320 0200	۷	Exciter Stator				
			2.0000 0000				



REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	301-1962	1	Box, Control
2	PANEL, CONT		0.1. W/// 1.0
	301-1961	1	Sets Without Overspeed Indicator Lamp
	301-2376	1	Sets With Overspeed
			Indicator Lamp
3	301-3683	1 4	Saddle, Control Box
4 5	508-0015 RESISTOR	4	Washer, Fiber
			12 Volt DC Sets (Fixed)
	304-0217	1	Low Oil Pressure
	304-0032	1	Start Disconnect 24 Volt DC Sets (Adjustable)
	304-0268	1	Low Oil Pressure
	304-0194	1	Start Disconnect
6	307-0623	1	Relay, Start Disconnect
7	RELAY, SOLE	NOID	12 Volt DC Sets
	307-1046	1	Manifold Heater
	307-0845	1	Start
	207 0061	4	24 Volt DC Sets
	307-0061 307-0875	1	Manifold Heater Start
8	332-0602	i	Jumper, Heater Solenoid to
_			Start Solenoid
9 10	308-0154 308-0037	1 1	Switch, Start/Stop Switch, Manifold Heater
11	302-1366	1	Ammeter Kit, Charge - Includes
			Mounting Hardware
12	RECTIFIER KI		10 Vall DO Cala
	305-0673 358-0096	1 1	12 Volt DC Sets 24 Volt DC Sets
13	305-0254	i	Bracket, Rectifier Mounting
14	337-0036	1	Strap, Ground - Control Box
15 16	402-0078	4 1	Mount, Rubber - Control Box Block, Terminal (5 Place)
17	332-0604 332-0616	1	Strip, Marker (5 Place)
18	332-0706	1	Block, Terminal (8 Place)
19	332-0739	1	Strip, Marker (8 Place)
20	320-0104	1	Limiter, Cranking - Low Oil Pressure
21	REGULATOR,		E (See Separate Page
	305-0589	1	Spec AB Through AE
	305-0689	1	★Begin Spec AF
22	815-0350	8	Screw, Hex Washer Head -
23	301-3714	1	Tapping (#10-32 x 3/8") Cover, Voltage Regulator
24	BOX, OUTPU		Gover, voltage Hegalater
	301-2467	1	Spec A Through Portion of Spec
	201 5000	1	AD (Measures 6" x 3" x 4")
	301-5990	ı	Use Began During Spec AD (Measures 8-7/8" x 2-7/8" x 4-1/8")
25	COVER, OUT	рит во	
	301-2466	1	Spec A Through Portion of
	001 5000	4	Spec AD (Measures 6" x 4")
	301-5992	1	Use Began During Spec AD (Measures 8-7/8" x 4-1/4")
26	GROMMET, R	UBBER	(
	508-0001	1	Control Box (1-1/16" Hole)
	509 0117	4	Output Box
	508-0117 508-0183	1	Side (1-3/8" Hole) Rear (1-3/4" Hole)
27	800-0024	4	Screw, Cap - Hex Head
			(5/16-18 x 1/2")




REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
28	850-0045	4	Washer, Lock - Spring (5/16")
29	526-0115	4	Washer, Flat (11/32" ID x 11/16" OD x 1/16" Thk)
30	815-0236	4	Screw, Self Tapping - Hex Head (5/16-18 x 5/8")
31	856-0008	4	Washer, Lock - EIT (5/16")
32	307-0655	1	Relay, Latching - Sets With Overspeed Switch
33	332-0747	1	Block, Terminal (2 Place) Use Began During Spec AD (Not Used on 3 Phase Sets)
34	332-1043	1	Jumper, Terminal Block (Not Used When Pre-Heat Circuit In Automatic or Load Transfer is Used)
35	332-0052	1	Clip, Wire
36	332-0748	1	Strip, Marker (2 Place) Use Began During Spec AD (Not Used on 3 Phase Sets)
37	321-0175	1	Holder, Fuse
38	321-0146	1	Fuse - 10 Amp
39	800-0703	1	Stud, Grounding (Special) Use Began During Spec AD
40	337-0089	1	Jumper, Manifold Heater Solenoid Relay - 24 Volt Sets
41	322-0069	1	Holder, Indicator Lamp - Sets With Overspeed Switch
42	322-0004	1	Lamp Indicator - Sets With Overspeed Switch
43	856-0006	1	Washer, Lock - EIT (1/4") Use Began During Spec AD
44	526-0018	4	Washer, Flat (17/64" ID x 5/8" OD x 1/16" Thk) Use Began During Spec AD
45	862-0013	2	Nut, Hex (1/4-20) Use Began During Spec AD

★ - Listed below are the models and serial numbers of specific generator sets in Spec AF which were manufactured using the 305-0589 Voltage Regulator Assembly. This assembly uses the 300-1540 printed Voltage Regulator board. For the remaining component parts refer to the voltage regulator group for Spec AB through AE.

6.0MDJE-53CR/2268AF	1820633596
7.5MDJE-3CR/2268AF	H820630361
7.5MDJE-3CR/2268AF	H820630362
7.5MDJE-3CR/2268AF	H820630363
7.5MDJE-3CR/2268AF	H820630364
7.5MDJE-3CR/2268AF	H820630365
7.5MDJE-3CR/2268AF	H820630366
7.5MDJE-3CR/2268AF	H820630367
7.5MDJE-3CR/2268AF	H820630368
7.5MDJE-3CR/2268AF	H820630369
7.5MDJE-3CR/2268AF	H820630370
7.5MDJE-3CR/2268AF	H820630371
7.5MDJE-3CR/2268AF	H820630372
7.5MDJE-3CR/2268AF	H820630373
7.5MDJE-3CR/2268AF	H820630374
7.5MDJE-3CR/2268AF	H820630375
7.5MDJE-3CR/2268AF	H820630376
7.5MDJE-3CR/2268AF	H820630377
7.5MDJE-3CR/2268AF	H820630378
7.5MDJE-3CR/2268AF	H820630379
7.5MDJE-3CR/2268AF	H820630380
7.5MDJE-3CR/2268AF	H820630381
7.5MDJE-3CR/2268AF	H820630382
7.5MDJE-3CR/2268AF	H820630383
7.5MDJE-3CR/2268AF	H820630384
7.5MDJE-3CR/2268AF	1820632166
7.5MDJE-3CR/2268AF	1820632167
7.5MDJE-3CR/2268AF	1820632168
7.5MDJE-3CR/2268AF	1820632169
7.5MDJE-3CR/2268AF	1820632170
7.5MDJE-3CR/2268AF	1820632171
7.5MDJE-3CR/2268AF	1820632171
7.5MDJE-3CR/2268AF	1820632172
7.5MDJE-3CR/2268AF	1820632173
7.5MDJE-3CR/2268AF	1820632174
7.5MDJE-3CR/2268AF 7.5MDJE-3CR/2268AF	I820633612
7.5MDJE-3CR/2268AF	1820633612 1820633618
7.5MDJE-3CR/2268AF	1820633620
	I820633621
7.5MDJE-3CR/2268AF	1820633622
7.5MDJE-3CR/2268AF	J820635348
7.5MDJE-3CR/2268AF 7.5MDJE-3CR/2268AF	J820635346 J820635349
7.5MDJE-3CR/2268AF 7.5MDJE-3CR/2268AF	J820635359 J820635350
7.5MDJE-3CR/2268AF	J820635351 J820635352
7.5MDJE-3CR/2268AF	J820635352 J820635353
7.5MDJE-3CR/2268AF	
7.5MDJE-3CR/2268AF	J820635355
7.5MDJE-3CR/2268AF	J820635356
6.0MDJE-53CR/25302AF	1820634390

VOLTAGE REGULATOR — SPEC AB THROUGH AE




REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION	REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
	305-0589	1	Regulator, Voltage (Includes	9	517-0045	1	*Plug, Dot Button
	000 0000		Parts Marked *)	10	812-0027	1	*Screw, Machine - Round Head
1	300-1540	1	*Board, Voltage Regulator - Begin				$(#4-40 \times 1/4")$
		•	Spec AD (Replaces 300-1404	11	853-0001	1	*Washer, Lock - ET (#4)
			Board Used During Spec AB	12	860-0003	1	*Nut, Hex (#4-40)
			and AC) Refer to Printed	13	812-0063	2	*Screw, Machine - Round Head
			Circuit Board Parts Catalog				(#6-32 x 1/2")
			Number 900-0234 for Board	14	870-0183	2	*Nut, Hex - With ET (#6-32)
			Components	15	332-1647	1	*Block, Terminal
2	815-0190	4	Screw, Tapping - Round Head	16	301-3713	1	*Panel, Mounting
-	0.00.00	•	(#8-32 x 3/8")	17	HARNESS,	WIRING -	Voltage Regulator to Exciter Stator
3	853-0005	4	*Washer, Lock - ET (#8)		338-0744	1	Sets Without Overspeed Switch
4	320-0505	i	*Breaker, Circuit		338-0917	1	Sets With Overspeed Switch
5	812-0070	4	*Screw, Machine - Round Head	18	332-0942	8	*Tie, Cable
-	012 00.0	•	(#6-32 x 1-1/4")				
6	870-0183	4	*Nut, Hex - With ET (#6-32)				634.19
7	315-0391	1	*Reactor	* - Pa	rts included	ın 305-058	9 Voltage Regulator
8	315-0386	1	*Transformer, Voltage				

SERVICE KITS AND MISCELLANEOUS

PART NO.	QTY. USED	PART DESCRIPTION
140.	0050	DECOMI HOW
98-1807	7	Label Kit
168-0147	1	Gasket Kit, Engine
522-0314	1	Overhaul Kit, Engine
525-0216		Paint, Touch-Up - White Enamel
		(13 oz. Pressurized Can)

NOTE: For other kits refer to the related group

VOLTAGE REGULATOR — BEGIN SPEC AF




REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION	REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
	305-0689	1	Regulator Assembly, Voltage (Includes Parts Marked *)	10	812-0027	1	*Screw, Machine - Round Head (#4-40 x 1/4")
1	305-0688	1	*Regulator, Voltage	11	853-0001	1	*Washer, Lock - ET (#4)
2	812-0071	4	*Screw, Machine - Round Head	12	860-0003	1	*Nut, Hex (#4-40)
			(#6-32 x 1-1/2")	13	812-0063	2	*Screw, Machine - Round Head
3	JUMPER, TE	RMINAL					(#6-32 x 1/2")
	332-2605	2	*50 Hertz	14	332-2617	2	*Terminal, Tab
	332-2605	1	60 Hertz	15	332-1647	1	*Block, Terminal
4	320-1121	1	*Breaker, Circuit	16	301-3713	1	*Panel, Mounting
5	812-0070	4	*Screw, Machine - Round Head	17	HARNESS,	WIRING - \	/oltage Regulator to Exciter Stator
			(#6-32 x 1-1/4")		338-0744	1	Sets Without Overspeed Switch
6	870-0183	10	*Nut, Hex - ET (#6-32)		338-0917	1	Sets With Overspeed Switch
7	315-0391	1	*Reactor	18	332-0942	10	*Tie, Cable
8	315-0386	1	*Transformer, Voltage				
9	517-0045	1	*Plug, Dot Button	* - Par	ts Included i	in 305-0689	Voltage Regulator Assembly.

OPTIONAL PARTS SECTION


This section contains illustrated parts listing of factory installed options. Options may not be applicable to all models; for field conversions additional parts are usually required.

AIR INTAKE SYSTEM (24 VOLT DC) - OPTIONAL



REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	140-0817	1	Adapter, Resonator
2	140-1704	1	Gasket, Heater Plate
3	140-1703	1	Plate, Heater
4	508-0103	2	Sleeve, Insulating
5	508-0102	2	Washer, Insulating
6	853-0013	1	Washer, Flat - ET Lock (1/4")
7	114-0023	2	Screw, Cap - Hex Head (Special)
8	336-1408	1	Lead, Heater to Ground
9	154-0712	2	Heater, Manifold
10	526-0015	1	Washer, Flat (9/32" ID x 9/16" OD x 1/16" Thk)


AQUALIFT EXHAUST SYSTEM - OPTIONAL



REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
	155-0955	1	Fitting Package, Muffler Hookup - Includes Parts Marked #
	155-0950	1	Relief Valve Kit, Siphon Break - Includes Parts Marked +
1	155-1004	1	Muffler Kit, Aqualift - Includes Parts Marked *
2	155-1002	1	*Strainer, Hull
3	155-1121	1	#Inlet, Muffler
4	505-0721	1	#Nipple, Half - Pipe - Galvanized (1-1/4" x 3")
5	505-0635	1	#Bushing, Double Tapped (1-1/4" x 2")
6	505-0632	1	#Nipple, Half - Plastic (1-1/4" x 9-1/4")
7	504-0062	1	+Valve, Vacuum Relief
8	502-0270	1	+Adapter, Pipe - Brass (1/2" x 3/8")
9	502-0090	1	+Tee, Pipe - Brass (3/8")
10	502-0237	2	+Connector, Hose - Brass (90°)
11	503-0446	2	Clamp, Hose
12	309-0162	1	Switch, Temperature (Opens at 240°F) (Closes at 195°F)
13	505-1346	2	Elbow, Hose - 90°

- # Parts Included in 155-0955 Muffler Fitting Package + Parts Included in 155-0950 Siphon Break Kit * Part Included in 155-1004 Muffler Kit


HEAT EXCHANGER - OPTIONAL



HEAT EXCHANGER - OPTIONAL

REF.	PART NO.	QTY. USED	PART DESCRIPTION	REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	130-1338	1	Exchanger Kit, Heat - Replaces Heat Exchanger Used Prior to Serial Number L770286184 During Spec AB (Includes 7 foot of bulk 1/2" ID water hose and	21	130-1040	1	#Connector, Hose - Heat Exchanger Hose to Molded Exhaust Manifold Hose - Prior to Serial Number L770286184 During Spec AB
2	130-1188	1	parts marked #) #Exchanger, Heat - Begin Serial Number L770286184 During Spec AB	22	503-0777	1	#Elbow Hose - 90° Molded - Hose Connector to Exhaust Manifold - Prior to Serial Number L770286184 During Spec AB
3	815-0300	1	Screw, End Cover (Brass)	23	503-0896	1	Hose, Water - Sea Water Pump
4	130-1031	1	Cover, End				to Heat Exchanger
5	130-0959	1	Gasket, End Cover	24			Exchanger to Exhaust Elbow
6	130-1340	1	Pencil, Zinc - Begin Serial Number L770286184 During		503-0897	1	Prior to Serial Number L770286184 During Spec AB
7	130-0589	1	Spec AB Cap, Pressure - Begin Serial		503-0986	1	Begin Serial Number L770286184 During Spec AB
,	100 0000	·	Number L770286184 During Spec AB	25	503-0469	1	Hose, Water - Thermostat to Exhaust Manifold
8 9	503-0612	2	#Clamp, Heat Exchanger Mounting	26	503-0696	1	Hose, Water - Heat Exchanger to Captive Water Pump
3	130-0903	1	Spec AB Through AD	27	503-0459	. 1	Hose, Water - Captive Water
	130-2169	i	Begin Spec AE		000 0 100	,	Pump to Block
10	504-0006	i	Valve, Air Bleed	28	850-0040	2	Washer, Lock - Spring (1/4")
11	505-0026	1	Coupling, Pipe	29	131-0130	1	Bar, Water Pump Holddown
12	505-0020	1	Nipple, Close - Pipe	30	132-0110	1	Pump, Water (Captive Water)
13	130-1435	i	Bracket, Hose - Begin Serial Number L770286184 During Spec AB				(See Separate Group for Components) NOTE: When Replacing Water Pump with
14	508-0117	1	Grommet, Rubber - Begin Serial Number L770286184 During Spec AB				Flat Area on Shaft Also Order 1 Each of 132-0252 Pulley and Set Screw Kit and 515-0249
15	502-0238	1	#Connector, Hose				Key
16	503-0984	1	Elbow, Hose - 90° Molded - Heat Exchanger to Exhaust	31 32			Key, Pulley to Water Pump PUMP Includes Parts Marked *
			Manifold Elbow - Begin Serial Number L770286184 During		512-0134	1	Sets With Flat Area on Water Pump Shaft
17	502-0426	1	Spec AB Adapter, Male to Female - Begin		132-0252	1	Sets With Keyed Area on Water Pump Shaft
	002 0120	·	Serial Number L770286184	33	803-0062	1	*Screw, Set
18	502-0237	5	During Spec AB #Elbow Hose - 90° (Brass) Begin	34	800-0005	2	Screw, Cap - Hex Head (1/4-20 x 3/4")
10	002 0207	J	Serial Number L770286184 During Spec AB	35	503-0492	1	Hose, Overflow
19	CLAMP, HOS	SE.	_ a.m.g aparam	* - Pa	rts Included in	Water Pu	mp Pulley Kits
	503-0547	13	Prior to Serial Number L770286184 During Spec AB				Heat Exchanger Kit
	503-0547	11	#Begin Serial Number L770286184 During Spec AB				
20	503-0785	1	Hose, Water - Heat Exchanger to Hose Connector - Prior to Serial Number L770286184 During Spec AB				

WATER PUMP PARTS (132-0110) - OPTIONAL




NOTE: This pump used on sets with optional Heat Exchanger.

REF.	PAR∕T NO.	QTY. USED	PART DESCRIPTION
NO.			
	132-0110	1	Pump, Water
	REPAIR KIT		
	132-0241	1	Sets With Flat Area on Shaft (Includes Water Pump Pulley Set Screw, Key and Parts Marked *)
	132-0240	1	Sets With Keyed Area on Shaft (Includes Parts Marked #)
1		1	Body, Pump (Not Sold Separately)
2	132-0137	1	Cover, Pump
3	132-0114	1	*#Impeller
4	132-0101	1	*#Seal
5	132-0091	1	*#Face, Wear
6	132-0092	1	*#Seat, Seal
7	132-0112	1	*#Gasket, Cover
8	132-0113	6	*#Screw, Cover
9	132-0138	1	Screw, Cap - Used on Early Style Pumps
10.	132-0139	1:	Lockwasher - Used on Early Style Pumps
11	132-0140	1	Nut, Hex - Used on Early Style Pumps
12	132-0141	1	Plug, Drain - Used on Early Style Pumps
13	132-0142	1	Pedestal
14	SHAFT AND	BEARIN	IG: ASSEMBLY
	132-0239	1	*Sets With Flat Area on Shaft (Repair Kit - Also Includes Water Pump Pulley, Set Screw and Key)
	132-0225	1	#Sets With Keyed Area on Shaft
15	132-0132	1	Ring, Snap
16	132-0224	1	Slinger, Fiber

^{* -} Parts Included in 132-0241 Repair Kit. # - Parts Included in 132-0240 Repair Kit.


KEEL COOLING - OPTIONAL



REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	132-0074	1	Pump, Water (Captive Water) See Separate Group for Components
2	512-0134	1	Pulley Kit, Water Pump - Includes Parts Marked *
3	803-0062	1	*Screw, Set
4	131-0144	1	Bar, Water Pump Holddown
5	800-0005	2	Screw, Cap - Hex Head (1/4-20 x 3/4")
6	850-0040	2	Washer, Lock - Spring (1/4")
7	502-0278	1	Elbow, Street - 90° (Brass) Pump Inlet
8	502-0300	1	Elbow, Hose - 90° (Brass) Pump Outlet
9	503-0183	2	Clamp, Hose
10	503-0481	1	Hose, Rubber (3/4" x 8-1/4") Pump to Block
11	502-0258	1	Nipple, Half (Brass) 3/8" x 2" - Block Water Inlet (Spec AB Through AD)
12	502-0298	1	Elbow, Pipe - 45° (Brass) Block Water Inlet (Spec AB Through AD)
13	502-0085	1	Nipple, Close (Brass) Block Water Inlet (Spec AB Through AD)
14	503-0547	2	Clamp, Hose - Sea Water Pump to Exhaust Elbow
15	503-0495	1	Hose, Rubber (1/2" x 22") Sea Water Pump to Exhaust Elbow
16	505-0101	1	Nipple, Close (Iron) Block Water Inlet (Begin Spec AE)
17	505-0135	1	Nipple, Half (Iron) Block Water Inlet (Begin Spec AE)
18	505-0376	1	Elbow, 45° (Iron) Block Water Inlet (Begin Spec AE)

^{* -} Part Included in Pulley Kit 512-0134

WATER PUMP PARTS (132-0074) - OPTIONAL




NOTE: This pump used on sets with optional Keel Cooling

REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
	132-0074	1	Pump, Water
	132-0093	1	Repair Kit, Water Pump - Includes Parts Marked *
1	132-0143	1	Pedestal
2		1	Body (Not Sold Separately)
3	132-0145	1	Cover
4	132-0087	1	Impeller
5	132-0088	1	*Gasket, Cover
6	810-0099	8	*Screw, Machine - Round Head, Brass (#10-32 x 7/16")
7	132-0089	1	*Shaft and Bearing Assembly
8	132-0101	1	*Seal, Mechanical
9	132-0091	1	*Ring, Seal Wear
10	132-0092	1	*Cap, Wear Ring
11	132-0138	1	Screw, Cap - Hex Head
12	132-0140	1	Nut, Hex
13	132-0139	1	Washer, Lock - Spring
14	132-0132	1	Ring, Snap

^{* -} Parts Included in 132-0093 Repair Kit

SOUND SHIELD HOUSING - OPTIONAL




SOUND SHIELD HOUSING - OPTIONAL

REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
	405-1482	1	Housing Kit, Sound Shield - Includes All Parts Listed Below Plus Related Air Intake System Parts
1	405-1474	1	Panel Assembly, Top (Insulated) Includes (1) Folding Handle and (11) Speed Nuts
2	405-1471	1	Molding Assembly, Corner (Insulated) Includes (9) Speed Nuts
3	405-1454	1	Panel Assembly, Engine End (Insulated) Includes (2) Folding Handles
4	405-1446	1	Panel Assembly, Generator End (Insulated) Includes (2) Speed Nuts
5	405-1468	1	Panel Assembly, Back (Insulated) Includes (4) Speed Nuts
6	405-1456	1	Panel, Access (Insulated)
7	405-1466	1	Panel Assembly, Door (Insulated) Includes (2) Folding Handles
8	405-1431	1	Pan, Drip
9	405-1480	1	Base, Mounting (Insulated)
10	405-2209	1	Band, Air Duct Adapter
11	405-1478	1	Cover Assembly, Access
12	815-0562	3	(Includes Parts Marked *) *Screw, Pan Head - Cross Recessed (#10 x 5/16")
13	870-0261	3	*Nut, Speed (#8-32)
14	508-0115	1	Grommet, Rubber (2-1/2" Hole) Exhaust Line
15	508-0004	2	Grommet, Rubber (1-3/8" Hole) Water Inlet Lines
16	508-0071	2	Grommet, Rubber (7/8" Hole) Battery Cables
17	508-0008	2	Grommet, Rubber (13/16" Hole) Fuel Inlet and Return Lines
18	870-0053	1	Nut, Hex (#10-32)
19	850-0030	1	Washer, Lock - Spring (#10)
20	812-0150	18	Screw, Machine - Round Head (1/4-20 x 5/8") Panels to Base
21	406-0343	5	Handle, Folding
22	808-0053	26	Screw, Round Head - Sheet Metal (#14 x 3/4")
23	800-0084	4	Screw, Cap - Hex Head (7/16-14 x 4-1/2")
24	526-0195	4	Washer, Flat (29/64" ID x 3-1/4" OD x 1/8" Thk)
25	862-0004	4	Nut, Hex (7/16-14)
26	870-0107	6	Nut, Speed - Type J
27	870-0197	20	Nut, Speed - Type J
28	813-0105	1	Screw, Machine - Round Head (#10-32 x 1")

^{* -} Parts Included in 405-1478 Access Cover Assembly


GENERATOR (24 VOLT DC) - OPTIONAL



GENERATOR (24 VOLT DC) - OPTIONAL

REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION	REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	STATOR, G	SENERATO	OR	31	232-0200	1	Washer - Cone Shaped
	,		50 Hertz	01		,	(Special) Rotor Through Stud
	220-2205	1	Single Phase	32	853-0013	2	Washer, Lock (1/4" ET) -
	220-2155	1	Three Phase				Exciter Stator
			60 Hertz	33	856-0003	1	Washer, Lock (#10 EIT) -
	220-2197	1	Single Phase				Resistor Tap
	220-2147	1	Three Phase	34	800-0004	2	Screw, Cap - Hex Head
2	20 1 -2155	1	Rotor Assembly, Generator		•		(1/4-20 x 5/8") - Exciter
			(Includes Parts Marked *)				Stator Mounting
3	510-0112	1	*Bearing, Rotor	35			ROUND HEAD (End Bell
4	232-2398	1	*Spacer, Bearing		Cover Mour		
5	201-2151	1	*Rotor, Exciter		812-0165	2	Sets Without Overspeed Switch
6	515-0094	1	*Key, Exciter Rotor				(1/4-20 x 4-1/2")
7	870-0284	1	*Nut, Exciter Rotor Locking		812-0167	2	Sets With Overspeed Switch
8	205-0105	1	*Fan, Generator			_	(1/4-20 x 6")
10	526-0008	12	*Washer, Flat (13/64" ID x	36	815-0194	6	Screw, Hex Head - Thread
	070 0404		7/16" OD x 1/32" Thk)				Cutting with ET (#10-32 x
11	870-0131	8	*Nut, Hex (#10-32)				3/8") Board (2) and Baffle
12	358-0069	1	*Rectifier Assembly - Positive		040 0400	_	(4) Mounting
13	358-0070	1	*Rectifier Assembly - Negative	37	812-0169	1	Screw, Machine - Round Head
14	853-0008	4 4	*Washer, Shakeproof (#10)				(1/4-20 x 5-1/2") - Resistor
15	813-0100	4	*Screw, Round Head		044 0000		Through
	E1E 0100	4	(#10-32 x 1/2")	38	811-0098	1	Screw, Machine - Round Head
16	515-0103 220-2009	1 1	*Key, Fan to Rotor Stator, Exciter				(Brass) (#10-32 x 3/8") -
17			Stator, Exciter	00	000 0004	0	Resistor Tap
18	COVER, EN 234-0185	ID BELL	Sets Without Overspeed Switch	39	800-0004	2	Screw, Cap - Hex Head
	234-0498	1	Sets Without Overspeed Switch				(1/4-20 x 5/8") - Resistor
40	509-0094	1	Seal, Bearing ("O" Ring)	40	520-0787		Bracket
19	520-0795	4	Stud, Generator Through	40 41	234-0462	1 1	Stud, Rotor Through Baffle, Air
20 21	850-0050	4	Washer, Lock - Spring (3/8") -	41	508-0112	1	Grommet, Rubber - Generator
21	030-0030	-4	Generator Through Stud	42	300-0112	i	Adapter (2-3/4" x 1-7/8")
22	850-0040	2	Washer, Lock - Spring (1/4") -	43	211-0237	1	Bell, End
22	000 0040	2	End Bell Cover	43	232-2418	1	Board, Connection
23	850-0040	2	Washer, Lock - Spring (1/4") -	45	231-0171	1	Adapter, Generator
23	000 00 10	_	Resistor Bracket	46	234-0494	: 1	Cover Assembly, Air Outlet
24	850-0055	1	Washer, Lock - Spring (7/16") -	40	20+ 0+0+		(Includes Parts Marked #)
27	000 0000	·	Rotor Through Stud	47	304-0521	1	Resistor, Tapped - Adjustable
25	853-0013	1	Washer, Lock (1/4" ET) -	48	232-2399	1	Bracket, Resistor Mounting
20	000 0070	•	Resistor Through Screw	49	304-0006	2	Washer, Centering - Resistor
26	809-0046	1	#Screw, Sheet Metal - Round	75	50.0000	-	Mounting
			Head (#10 x 3/4")	50	870-0177	1	#Nut, Speed (#10)
27	862-0011	4	Nut, Hex (3/8-16) - Generator	51	508-0095	1	Grommet, Rubber - Air Baffle
			Through Stud	0.			(25/32" x 21/32")
28	870-0203	1	Nut, Hex (7/16-20) - Rotor				(======================================
			Through Stud				
29	871-0010	1	Nut, Hex - Brass (#10-32)	* - Pa	rts Included i	n 201-215	5 Generator Rotor Assembly.
			Resistor Tap	# - Pa	rts Included i	n 234-049	4 Cover Assembly.
30	526-0260	2	Washer, Flat (Special) -				
			Exciter Stator				


VOLTAGE REGULATOR FILTER - OPTIONAL



REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	813-0098	6	Screw, Machine - Round Head (#10-32 x 3/8")
2	850-0030	6	Washer, Lock - Spring (#10)
3	232-2463	1	Cover, Housing
4	815-0001	4	Screw, Machine - Binding Head Brass (#6-32 x 1/4")
5	853-0003	4	Washer, Lock - ET (#6)
6	860-0006	4	Nut, Hex (#6-32)
7	332-1279	4	Terminal, Lug
8	338-1165	1	Harness, Wiring
9	508-0071	1	Grommet, Rubber
10	813-0112	2	Screw, Machine - Round Head (#10-32 x 2-1/2")
11	304-0015	4	Washer, Centering
12	304-0292	2	Insulator, Resistor
13	870-0053	2	Nut, Hex (#10-32)
14	304-0120	2	Resistor, Fixed (2 Ohm, 25 Watt)
15	812-0079	4	Screw, Machine - Round Head (#8-32 x 1/2")
16	850-0025	4	Washer, Lock - Spring (#8)
17	860-0008	4	Nut, Hex (#8-32)
18	312-0198	2	Bracket, Mounting - Capacitor
19	312-0197	1	Capacitor
20	232-2462	1	Housing, Filter
21	332-0942	2	Tie, Cable
	625-1304	_	Diagram, Wiring

OVERSPEED SWITCH - OPTIONAL

REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	SWITCH,	OVERSPEED	
	150-0956	1	60 Hertz Sets
	150-1661	1	50 Hertz Sets
2	150-1446	1	Bracket and Point Assembly
3	868-0004	1	Nut, Jam - Hex Head (7/16-20)
4	850-0040	2	Washer, Lock - Spring (1/4")
5	800-0003	2	Screw, Cap - Hex Head
			(1/4-20 x 1/2")



ES-1132

HARDWARE IDENTIFICATION

Illustrated hardware items are only for identification purposes. All hardware items listed throughout this parts catalog are steel SAE grade live (5) or tower tzinc plated with clear chromate dip) unless parts description indicates differently. All dimensions are in inches.

WASHER TYPES







LOCK (T)



COUNTERSUNK TOOTH LOCK (EIT) EXTERNAL TOOTH




LOCK

SPRING LOCK




Flat washer dimensions given are: Inside Diameter (ID), Outside Diameter (OD) and Thickness (Thk).

BOLT AND SCREW TYPES



L - Measure length between these points.



Nominal size (fractional diameter or screw number) Number of threads per inch ength in inches

MUT TYPES













FULL HEXAGON

JAM HEXAGON

WING

